

Fig. 1




Fig. 2




Fig. 3




Fig. 5




Fig. 6




Fig. 7




Fig. 8

FIG. 9 is a perspective view of the handheld device 901, showing the handle 902, the trigger 903, the nozzle 904, and the power cord 905. The device 901 is configured to be used for cleaning or drying a surface.




Fig. 9




Fig. 10

FIG. 11 is a perspective view of the device 1101 in a bent position. The device 1101 includes a handle 1102, a cable 1103, and a connector 1104. The handle 1102 has a curved tip and a series of buttons or indicators along its length. The cable 1103 is connected to the handle 1102 and extends to the connector 1104. The connector 1104 is a rectangular box with a small protrusion on one side.




Fig. 11




Fig. 12





Fig. 13

FIG. 14 is a perspective view of a handheld device 1301, such as a handheld sprayer, in a first configuration. The device 1301 includes a handle 1415, a trigger gun 1413, a nozzle 1302, and a spray pattern 1304. The handle 1415 is connected to the trigger gun 1413, which is connected to the nozzle 1302. The spray pattern 1304 is shown as a series of dashed lines emanating from the nozzle 1302. The device 1301 is shown in a perspective view, with the handle 1415 and trigger gun 1413 on the right and the nozzle 1302 on the left. The spray pattern 1304 is shown as a series of dashed lines emanating from the nozzle 1302. The device 1301 is shown in a perspective view, with the handle 1415 and trigger gun 1413 on the right and the nozzle 1302 on the left. The spray pattern 1304 is shown as a series of dashed lines emanating from the nozzle 1302.






Fig. 15




Fig. 16a




Fig. 16b




Fig. 17a




Fig. 17b




Fig. 18a




Fig. 18b




Fig. 19a




Fig. 19b




Fig. 20a




Fig. 20b




Fig. 21a




Fig. 21b




Fig. 22a




Fig. 22b




Fig. 22c

FIG. 22d is a perspective view of a device 2200. The device 2200 includes a base 2203, a central platform 2201, and a plurality of side supports 2202. The central platform 2201 is positioned on the base 2203, and the side supports 2202 are positioned around the central platform 2201. The side supports 2202 are used to support the central platform 2201.




Fig. 22d




Fig. 23




Fig. 24a




Fig. 24b




Fig. 26a




Fig. 26b




Fig. 27a




Fig. 27b




Fig. 28a




Fig. 28b




Fig. 29a




Fig. 29b




Fig. 30a




Fig. 30b




Fig. 31a




Fig. 31b




Fig. 32a




Fig. 32b




Fig. 33a




Fig. 33b




Fig. 33c




Fig. 33d




Fig. 34a




Fig. 34b




Fig. 34c




Fig. 34d




Fig. 35

FIG. 36 is a block diagram of a power supply system 3601. The system includes an AC input 3602 connected to a power switch source 3603. The power switch source 3603 provides a DC output to a battery charge circuit 3604, which is connected to a battery 3605. The battery 3605 is connected to a main switch 3607. The main switch 3607 is connected to a booster 3617, a control circuit 3608, and a constant current source 3611. The control circuit 3608 is connected to a fan 3609 and a TE cooler 3610. The constant current source 3611 is connected to a light source 3612. A time setup 3614 is connected to a timer 3613. The timer 3613 is connected to an activation switch 3615 and a beeper 3616.




Fig. 36




Fig. 37




Fig. 38